SOJAGII

Owner's Manual

Warranty Safety
Information
Operation
Maintenance
Care and Cleaning
Planning Assembly

사용 설명서

보증

안전 정보

운용

유지보수

보관 및 세척

조립

IMPORTANT — 중요

RETAIN FOR FUTURE REFERENCE, READ CAREFULLY

For parts and customer service, please call 1-855-659-4402 in Canada and U.S. (English and French) Monday to Friday, from 8:30 AM to 4:30 PM, EST.

주의 깊게 읽고 나중에 참조할 수 있도록 보관하십시오

부품과 고객 서비스에 대한 문의는 아래 번호로 전화해 주십시오

미국 및 캐나다: 1-855-659-4402 (영어/프랑스어)

월~금요일 오전 8시 30분~오후 4시 30분(EST)

WARRANTY

WHAT IS COVERED

FOR ALL PRODUCTS

All products are guaranteed against defective materials following the chart below from the date of purchase and based on normal residential use of the product. This limited warranty is applicable on parts only, labour is not included. The warranty is not transferable. Shipping fees for replacement parts are covered for the first year following the date of purchase.

WARRANTY CHART

	Soft top roof	Polycarbonate roof panel	Galvanized-steel roof panel	Aluminum composite (ACP) roof panel
General warranty	1 year against manufacturer defect	1 year against manufacturer defect	1 year against manufacturer defect	1 year against manufacturer defect
Structure warranty	1 year against discolouration	1 year against discolouration	1 year against discolouration	1 year against discolouration
Roof warranty	1 year	3-year against hail damage	year against discolouration year against rust perforation	5-year against discolouration and delamination

WHAT IS NOT COVERED

FOR ALL PRODUCTS

Damages due to vandalism, animals, abuse or wrong use of the product are not covered by the warranty. Damages caused by severe weather conditions such as thunderstorms, hail storms, wind or snow storms are not covered by the warranty. Rust, water infiltration and discolouration of the structure and/or the fabric are not covered by the warranty.

If any of the instructions of the OPERATION or SAFETY INFORMATION sections is not met, the warranty will be voided. Any modifications made to the structure will void the warranty.

SPECIFICATION ABOUT POLYCARBONATE ROOF PANELS

Holes in polycarbonate roof panels or discolouration of the polycarbonate roof panels are not covered by the warranty.

AUSTRALIA

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage.

You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

© Sojag inc. 2023 **4**

OPERATION

SOLARIUMS, MURAL SOLARIUMS and HARD-TOP GAZEBO

- 1. Those are four-season products, meaning that it may be left up year-round. However, any accumulation of snow must always be removed from the roof of the unit.
- 2. The unit must be anchored using the appropriate screws based on the flooring which it is being anchored to (not included).
- 3. If your model has polycarbonate roof panels, the roof panels must be installed with the UV protected side facing the sun such as identified.
- 4. Winter cover and winter bar are offered for certain models of shelters so allowing the storage. Contact your retailer for more details.
- 5. Check all screws for tightness before and during usage of the unit. Tighten the screws at least twice a year.
- 6. If you wish to suspend products to the structure, ensure that the total weight of articles does not exceed 6.8 kg (15 pounds). Suspend nothing from the structure in case of strong winds as well as during the winter.
- 7. The application of silicone <u>is not recommended</u> for solariums and mural solariums. An inappropriate use of silicone would prevent the water to evacuate by the holes provided for this purpose.
- 8. If your product allows it, remove fabric mosquito nets, mica and fabric curtains for winter storage.

FABRIC ROOF SUN SHELTERS

- 1. The fabric roof, mosquito nets, mica and curtains must be removed and stored during winter.
- 2. The unit must be anchored using the appropriate screws based on the flooring to which it is being anchored to (not included).
- 3. Check all screws for tightness before and during the usage of the unit. Tighten the screws at least twice a year.
- 4. Do not hang any items to the structure.

GARDEN SWINGS

- 1. The fabric roof must be removed and stored during winter.
- 2. Check all screws for tightness before and during the usage of the swing. Tighten the screws at least twice a year.
- 3. Do not hang any items to the structure.
- 4. Do not cover the structure with tarpaulin during winter.

SAFETY INFORMATION

It is very important to read and follow the safety precautions before assembly and during the use of the product.

FOR ALL PRODUCTS

- 1. Keep all children and pets away from assembly area.
- 2. When assembling and using this product, basic safety precautions must always be followed to reduce risks of personal injuries and damages to the product and its surroundings.
- 3. Ensure that all the parts are in the boxes before starting the assembly. It is recommended to wear protective gloves since some of the parts have sharp edges.
- 4. Solarium and shed will take at least 8 hours to put up. Hard top gazebo will take at least 6 hours to put up. Garden swing and fabric roof sunshelter will take at least 2 hours to put up. You must schedule enough time to complete the assembly. You cannot leave the product unattended if it is not fully assembled, even if bolted to the ground. It is recommended to be at least 3 people for a safe assembly of the product.
- 5. Except for mural products, begin the assembly and install the product more than 1.8 m (6 ft.) away from any obstructions including, but not limited to, a fence, overhanging branches, a laundry line or electrical wires and as much as possible in a place protected from the wind.
- 6. Always install the product on a leveled platform. Except garden swing, all products must be anchored to either wood or concrete using the appropriate screws for the chosen flooring. (not included)
- 7. Check all screws for tightness before and during the use of the product. Tighten the screws at least twice a year.
- 8. Do not place any type of heat source on/under the structure or within 1.5 m (5 ft.) of the unit including, but not limited to, a barbecue or a space heater.
- 9. Do not install the product in a space where there is the possibility of high winds.

© Sojag inc. 2023

MAINTENANCE

If this product needs repairs:

FOR ALL PRODUCTS

- 1. In case of a defective part or if a problem occurs while using this product, please contact SOJAG Customer Service at 1-855-659-4402.
- 2. To order replacement parts, identify the model number and the part number found in your assembly manual.
- 3. Optional parts may be available for your product such as mosquito nets, curtains, winter covers, solidifying winter columns, etc. Please contact your retailer for more information.

CARE AND CLEANING

FOR ALL PRODUCTS

- 1. For cleaning: use a domestic soap or a soft detergent and wash with warm water using a sponge or fabric cloth. Rinse with clean water.
- 2. Snow must always be removed from the roof of the unit.

7

PLANNING ASSEMBLY

FOR ALL PRODUCTS

- It is the consumer's responsibility to comply with building rules, regulations/zoning
 restrictions orders or any other regional restrictions and obtain the required permits before
 purchasing this product and installing it.
- 2. Make sure that every part is in the box before beginning installation.
- 3. Some parts may have sharp edges; it is recommended to wear gloves, protection glasses and closed shoes.
- 4. You must schedule enough time to complete the assembly.
- 5. You cannot leave the product unattended if it is not fully assembled, even if bolted to the ground.
- 6. A minimum of 3 people is required for a safe assembly of the product.
- 7. Follow each instruction carefully to ensure the strength of the product.
- 8. To avoid damage to the product and its parts, use the proper tools. Do not use the product as a support. The use of a ladder is recommended.
- 9. Keep the instruction manual and the parts list in case of future needs or references.
- 10. Do not assemble the product in days of wind or rain.

PRODUCTS WITH POLYCARBONATE ROOF PANELS

IMPORTANT:

Do not remove the protective film on the polycarbonate roof panels before installation. Ensure to put the UV protected side facing the sun. It is a very important procedure; if not followed as described, your roof will not be covered by the warranty.

© Sojag inc. 2023





SAFETY GOGGLES



STEPLADDER



LEVELER



GLOVES



SAFETY HAT



PHILLIPS SCREWDRIVER

보증

보증 범위

전 제품

제품을 가정에서 일상적으로 사용하는 경우 구입일로부터 모든 제품의 재료 결함에 대해 아래 표에 따라 보증이 적용됩니다. 이 제한 보증은 부품에만 적용되며 노동은 포함되지 않습니다. 보증은 양도할 수 없습니다. 교체 부품의 배송료는 구입일로부터 1년간 보증됩니다.

보증 표

	소프트탑 지붕	폴리카보네이트 지붕 패널	아연도금강 지붕 패널	알루미늄 복합(ACP) 지붕 패널
일반 보증	제조업체 결함에 대해 1년	제조업체 결함에 대해 1년	제조업체 결함에 대해 1년	제조업체 결함에 대해 1년
구조 보증	변색에 대해 1년	변색에 대해 1년	변색에 대해 1년	변색에 대해 1년
지붕 보증	1년	우박 손상에 대해 3년	변색에 대해 1년 녹 구멍에 대해 3년	변색 및 갈라짐에 대해 5년

보증 제외

전 제품

고의적 기물 파손, 동물, 제품의 남용 또는 오용으로 인한 손상에는 보증이 적용되지 않습니다. 뇌우, 폭풍 또는 눈보라, 우박을 동반한 폭풍 등의 악천후로 인한 손상에는 보증이 적용되지 않습니다. 구조와 패브릭의 녹, 물 침투, 변색에는 보증이 적용되지 않습니다.

운용 또는 안전 정보 섹션의 지시사항이 충족되지 않는 경우 보증은 무효가 됩니다. 구조를 변경한 경우 보증은 무효가 됩니다.

폴리카보네이트 지붕 패널에 대한 규정

폴리카보네이트 지붕 패널의 구멍 또는 변색에는 보증이 적용되지 않습니다.

오스트레일리아

당사의 제품은 오스트레일리아 소비자법(Australian Consumer Law)에 따라 제외될 수 없는 보증서와 함께 제공됩니다. 귀하는 중대한 고장에 대한 교체 또는 환불 및 기타 합리적으로 예측 가능한 손실 또는 손해에 대한 보상을 청구할 권리를 가집니다. 아울러 귀하는 제품의 품질이 용인 가능한 수준에 미달하거나 고장이 중대한 고장에 해당하지 않는 경우 제품을 수리하거나 교체할 권리를 가집니다.

© Sojag inc. 2023

운용

솔라리움(일광욕실), 벽 솔라리움 및 하드탑 가제보(정자)

- 1. 이들은 사계절 제품이므로 1 년 내내 놓아두어도 됩니다. 하지만, 장치의 지붕에 눈이 조금이라도 쌓이면 반드시 제거해야 합니다.
- 2. 반드시 바닥재에 적합한 나사(포함되지 않음)를 사용하여 장치를 단단히 고정하십시오.
- 3. 귀하의 모델이 폴리카보네이트 지붕 패널을 가지고 있는 경우, 반드시 설명한 대로 자외선 보호 면이 태양을 향하도록 지붕 패널을 설치해야 합니다.
- 4. 특정 모델의 쉘터에는 보관을 위한 겨울용 커버와 겨울용 바가 제공됩니다. 자세한 내용은 소매업체에 문의하십시오.
- 5. 장치를 사용하기 전과 사용하는 동안에 모든 나사가 단단히 조여졌는지 확인하십시오. 1년에 2번 이상 나사를 조이십시오.
- 6. 제품을 구조물에 매달고자 하는 경우에는 총 중량이 6.8kg 을 초과하지 않도록 유의하십시 오. 강풍이 부는 날이나 겨울철에는 아무 것도 구조물에 매달지 마십시오.
- 7. 솔라리움과 벽 솔라리움에는 실리콘을 바르지 <u>않는 것이 좋습니다</u>. 실리콘을 부적절하게 사용하면 배수 목적으로 마련된 구멍으로 물이 빠져나갈 수 없게 됩니다.
- 8. 제품이 허용하는 경우, 겨울철 보관을 위해 패브릭(직물) 모기장, 운모 및 패브릭 커튼을 제거하십시오.

패브릭 지붕 썬 쉘터(그늘막)

- 1. 겨울철에는 반드시 패브릭 지붕, 모기장, 운모, 커튼 등을 제거해서 보관해야 합니다.
- 2. 반드시 바닥재에 적합한 나사(포함되지 않음)를 사용하여 장치를 단단히 고정하십시오.
- 3. 장치를 사용하기 전과 사용하는 동안에 모든 나사가 단단히 조여졌는지 확인하십시오. 1 년에 2 번 이상 나사를 조이십시오.
- 4. 품목도 구조물에 매달지 마십시오.

정원 그네

- 1. 겨울철에는 반드시 패브릭 지붕을 제거해서 보관해야 합니다.
- 2. 제품을 사용하기 전과 사용하는 동안에 모든 나사가 단단히 조여졌는지 확인하십시오. 1년에 2번 이상 나사를 조이십시오.
- 3. 어떤 품목도 구조물에 매달지 마십시오.
- 4. 겨울철에는 타르 칠한 방수천으로 구조물을 덮지 마십시오.

안전 정보

제품 조립 전과 사용 중에 안전 예방조치를 읽고 따르는 것이 매우 중요합니다.

전 제품

- 1. 어린이와 애완동물이 조립 구역에 들어오지 못하도록 하십시오.
- 2. 본 제품을 조립하고 사용할 때는 항상 신체적 상해와 제품 및 주위에 대한 손상의 위험을 줄이기 위해 기본적인 안전 예방조치를 따라야 합니다.
- 3. 조립을 시작하기 전에 모든 부품이 상자에 들어 있는지 확인하십시오. 일부 부품은 모서리 가 날카로우므로 보호 장갑을 착용하는 것이 좋습니다.
- 4. 솔라리움과 셰드(오두막)를 세우는 데는 8 시간 이상 걸립니다. 하드탑 가제보를 세우는 데는 6 시간 이상 걸립니다. 정원 그네와 패브릭 지붕 썬 쉘터를 세우는 데는 2 시간 이상 걸립니다. 반드시 조립을 완료하기에 충분한 시간을 확보해야 합니다. 제품이 완전히 조립되지 않은 상태에서는 지면에 고정한 경우라도 제품을 방치해 두어서는 안 됩니다. 제품의 안전한 조립을 위해서는 적어도 세 사람이 필요합니다.
- 5. 벽 제품을 제외하고, 울타리, 뻗어 나온 나뭇가지, 빨랫줄 또는 전깃줄 등을 포함한 장애물로부터 1.8m 이상 떨어져서, 그리고 가능한 한 바람을 막아주는 장소에 제품을 조립하고 설치하십시오.
- 6. 항상 평평한 대지(臺地)에 제품을 설치하십시오. 정원 그네를 제외한 모든 제품을 반드시 선택한 바닥재에 적합한 나사(포함되지 않음)를 사용하여 나무 또는 콘크리트에 단단히 고 정시키십시오.
- 7. 제품을 사용하기 전과 사용하는 동안에 모든 나사가 단단히 조여졌는지 확인하십시오. 1년 에 2번 이상 나사를 조이십시오.
- 8. 바비큐 또는 실내 난방기 등을 포함한 어떤 종류의 열원도 구조물 위/아래 또는 장치에서 1.5m 이내에 놓아두지 마십시오.
- 9. 강풍의 가능성이 있는 공간에 제품을 설치하지 마십시오.

© Sojag inc. 2023 **12**

유지보수

본 제품에 수리가 필요한 경우:

전 제품

- 1. 부품에 결함이 있거나 본 제품을 사용하는 동안 문제가 발생하는 경우에는 SOJAG 고객 서비스 센터(1-855-659-4402)로 문의하십시오.
- 2. 교체 부품을 주문하려면 조립 설명서에 기재된 모델 번호와 부품 번호를 확인하십시오.
- 3. 귀하의 제품에는 모기장, 커튼, 겨울용 커버, 겨울용 결속 기둥 등의 옵션 부품이 제공될 수 있습니다. 자세한 내용은 소매업체에 문의하십시오.

관리 및 세척

전 제품

- 1. 세척을 위해서는 가정용 비누 또는 부드러운 세제를 사용하고 스폰지 또는 직물 천을 사용하여 따뜻한 물로 씻으십시오. 깨끗한 물로 헹구십시오.
- 2. 항상 장치의 지붕에서 눈을 제거해야 합니다.

조립

전 제품


- 1. 본 제품을 구입하여 설치하기 전에 건축 규칙, 규정, 규제, 명령 또는 기타 모든 지역 제한 조건을 준수하고 필요한 허가를 획득하는 것은 소비자의 책임입니다.
- 2. 설치를 시작하기 전에 모든 부품이 상자에 들어 있는지 확인하십시오.
- 3. 일부 부품은 모서리가 날카로울 수 있으므로, 장갑, 보호 안경, 밀폐된 신을 착용하는 것이 좋습니다.
- 4. 반드시 조립을 완료하기에 충분한 시간을 확보해야 합니다.
- 5. 제품을 완전히 조립하지 않은 상태에서는 지면에 고정한 경우라도 제품을 방치해 두면 안됩니다.
- 6. 제품의 안전한 조립을 위해서는 최소한 세 사람이 필요합니다.
- 7. 제품의 강도를 보장하기 위해 각 지시사항을 주의 깊게 따르십시오.
- 8. 제품과 부품에 대한 손상을 방지하기 위해 적절한 공구를 사용하십시오. 제품을 지지물로 사용하지 마십시오. 사다리를 사용하는 것이 좋습니다.
- 9. 나중에 참조할 수 있도록 설명서와 부품 목록을 보관하십시오.
- 10. 바람이 불거나 비가 오는 날에는 제품을 조립하지 마십시오.

폴리카보네이트 지붕 패널이 있는 제품

중요:

설치하기 전에 폴리카보네이트 지붕 패널의 보호 필름을 제거하지 마십시오. 반드시 자외선 보호 면이 태양을 향하도록 하십시오. <u>이는 매우 중요한 절차입니다. 설명한 대로 따르지 않을 경우 지붕에</u> 보증이 적용되지 않습니다.

© Sojag inc. 2023 **14**



SOJAG III

www.shelterlogic.com

공급업체:

COSTCO WHOLESALE CORPORATION
P.O. BOX 34535
SEATTLE, WA 98124-1535
USA
1-800-774-2678
WWW.COSTCO.COM

공급업체:

IMPORTADORA PRIMEX S.A. DE C.V.
BLVD. MAGNOCENTRO NO. 4
SAN FERNANDO LA HERRADURA
HUIXQUILUCAN, ESTADO DE MÉXICO
C.P. 52765
RFC: IPR-930907-S70
(55)-5246-5500
WWW.COSTCO.COM.MX

COSTCO WHOLESALE SPAIN S.L.U.
POLÍGONO EMPRESARIAL LOS GAVILANES
C/ AGUSTÍN DE BETANCOURT, 17
28906 GETAFE (MADRID) ESPAÑA
NIF: B86509460
900 111 155
WWW.COSTCO.ES

COSTCO WHOLESALE ICELAND EHF. KAUPTÚN 3-7, 210 GARDABAER ICELAND WWW.COSTCO.IS

COSTCO WHOLESALE KOREA, LTD.
40, ILJIK-RO
GWANGMYEONG-SI
GYEONGGI-DO, 14347, KOREA
1899-9900
WWW.COSTCO.CO.KR

COSTCO (CHINA) INVESTMENT CO., LTD.
ROOM 1003, BLOCK 2, 2388 XIUPU ROAD,
PUDONG NEW AREA, SHANGHAI
CHINA 201315
+86-21-6257-7065

COSTCO WHOLESALE SWEDEN AB
BOX 614
114 11 STOCKHOLM
SWEDEN
WWW.COSTCO.SE

COSTCO WHOLESALE CANADA LTD.*
415 W. HUNT CLUB ROAD
OTTAWA, ONTARIO
K2E 1C5, CANADA
1-800-463-3783
WWW.COSTCO.CA
* FAISANT AFFAIRE AU QUÉBEC SOUS
LE NOM LES ENTREPÔTS COSTCO

COSTCO WHOLESALE UK LTD /
COSTCO ONLINE UK LTD
HARTSPRING LANE
WATFORD, HERTS
WD25 8JS
UNITED KINGDOM
01923 213113
WWW.COSTCO.CO.UK

COSTCO FRANCE
1 AVENUE DE BRÉHAT
91140 VILLEBON-SUR-YVETTE
FRANCE
01 80 45 01 10
WWW.COSTCO.FR

COSTCO WHOLESALE AUSTRALIA PTY LTD 17-21 PARRAMATTA ROAD LIDCOMBE NSW 2141 AUSTRALIA WWW.COSTCO.COM.AU

COSTCO WHOLESALE JAPAN LTD.
2 KAKUCHI, 2 GAIKU
KANEDA-NISHI 361 URIKURA,
KISARAZU SHI CHIBA,
292-0007 JAPAN
0570-200-800 • WWW.COSTCO.CO.JP

COSTCO WHOLESALE NEW ZEALAND LIMITED
2 GUNTON DRIVE
WESTGATE
AUCKLAND 0814
NEW ZEALAND
WWW.COSTCO.CO.NZ