

Heavy-Duty Storage Rack


ITM. / ART. 991070
MODEL# WSZB184872-GW5BMS

Assembly Instructions

Customer Service: 1-866-942-5362 English, French and Spanish
Monday - Friday, 8:30 a.m. - 4:30 p.m. PST
(Telephone is not valid in Mexico, toll-free in U.S. and Canada only)
E-mail : parts@whalenfurniture.com

1. Please read instructions prior to assembly. (Please note that there is a recommended tool not included in this package).
2. Verify that there are no missing parts.
3. Two people are recommended for assembly.
4. Gently set parts on a flat, smooth surface.
5. For indoor use only.

SHELF MAXIMUM CAPACITY: 454 kg / 1000 lb EVENLY DISTRIBUTED.
ENTIRE UNIT MAXIMUM CAPACITY: 2268 kg / 5000 lb EVENLY DISTRIBUTED.
CONCENTRATED LOAD CAPACITY: 732.6 kg / 1615 lb PER SQUARE METER
(0.45 kg / 1 lb PER SQUARE INCH)



“Adult assembly required due to the presence of small parts, points, and edges as received.”

**IMPORTANT, RETAIN FOR FUTURE REFERENCE:
READ CAREFULLY**




Date: 2019-12-27 Rev. 0001-N
Whalen Furniture Manufacturing



Failure to follow these guidelines can result in property damage or personal injuries.

Storage Rack is NOT recommended for outdoor use.








- 1. Do not exceed 454 kg / 1000 lb per shelf. Do not exceed 2268 kg / 5000 lb per unit.**
- 2. Weight should be evenly distributed on the shelf surface. Weight that is concentrated in the center of the shelf will reduce the shelf capacity.**
- 3. Load small stable items on the top shelves, heavier and bulkier items should be stored on the lower shelves. Load unit placing objects from the bottom to top. This will ensure stability of overall unit.**
- 4. Never climb or stand on the unit and do not use as a ladder.**
- 5. Not intended to be used by children.**
- 6. Do not alter the product in any way as it could compromise the performance of the unit as intended and will void all warranties.**



Note: Larger heavier items stored on the bottom levels and smaller lighter items stored on the upper levels. Use caution when placing items on each shelf. Dropping items onto the shelf can cause an impact load that could result in shelf failure.

Parts List

Please read completely through the instructions and verify that all parts listed are present before beginning assembly

PART#	PART DESCRIPTION	QUANTITY
A- Angle Post		8
B-Long Z-beam		10
C-Short Z-beam		10
D- Shelf Deck		5
E- Post Cap		8
F- Post Inserts		4
G- Post Clips		2
H - Tipping Restraint Hardware Kit		1

Tool Required: Rubber Mallet (NOT INCLUDED)

ATTENTION


1. Use some type of lubricant to ease the joining of the angle posts and beams.
2. Use a cloth or wood block to protect the surface finish of the product when using a rubber hammer.
3. Must drive the rivets to the bottom of the keyhole by hitting the beam near the joint.
4. Assemble the unit on a sturdy and level surface. Avoid assembly on carpet.

OPTION #1 5-SHELF STORAGE RACK

Note: To facilitate assembly we recommend having two persons assemble the unit. If you do not understand these directions, or have any doubts about the safety of the installation, please call a qualified contractor or contact Whalen Storage at 1-866-942-5362 for assistance. If you have any defective parts please do not use, improper installation may result in damage or injury.


Assembly Instructions

1. Start the End Assembly by joining a Short Z-beam (part C) into the two bottom keyholes of an Angle Post (part A). Install the Z-beam in the upright position, as shown in detail #1. Drive the rivets to the bottom of the keyhole by hitting the beam near the joint with a rubber mallet to lock the pieces together.
Repeat last step to the second Angle Post (part A) creating an End Assembly.



Detail #1


2. Assemble a Long Z-beam (part B) to the other two bottom keyholes of the End Assembly. Assure all Z-beams are assembled in the upright position, as shown in detail #2. Hit the beam near the joint with a rubber mallet to lock pieces together.
Note: Don't hit too hard so you will not damage or bend the beams.
Repeat last step to add an additional Long Z-beam, the other Short Z-beam and two Angle Posts to the End Assembly to create the Bottom Frame Assembly, as shown in detail #2.
Note: Follow the order 1st through 5th as shown in detail #2 to facilitate the assembly. Hit the beams near the joints to lock the pieces into place.



Detail #2


Assembly Instructions

3. Now pick up a Short Z-beam (part C) and join into the top two keyholes of the other 2 Angle Posts (part A) to create a Top End Assembly. Drive the rivets to the bottom of the keyhole with a rubber mallet. Make sure the flat edge of the Z-beam point up, as shown in detail #3. Repeat last step for the opposite side Top End Assembly.




4. Before joining the Top End Assembly to the Bottom Frame Assembly insert Post Inserts (part F) into the Angle Posts (part A) on the Bottom Frame Assembly, as shown in detail #4. Proceed to assemble the Top End Assembly on to the Post Insert (part F), as shown in detail #4. Repeat last 2 step for the opposite Top End Assembly.


Detail #4



5. Add a Short Z-beam (part C) to mid section at the joint by inserting the top rivet of the Z-beam into the bottom keyhole of the Top End Assembly, and the bottom rivet of the Z-beam into the top keyhole of the Bottom Frame Assembly, as shown in detail #5. **Make sure all Z-beams are in the upright position. Drive the rivets to the bottom of the keyholes by hitting the beam near the joints to lock top and bottom of rack together.** Repeat last step to add an additional Short Z-beam (part C) and two Long Z-beams (part B).




6. Proceed to add two additional Long Z-beams (part B) to top two keyholes of the Angle Posts (part A). As shown in detail #6 install the Z-beams in the upright position. Be sure to have the rivets in the keyholes before hitting the beams near the joints to lock the pieces together.




7. Assemble the remaining Long and Short Z-beams (part B and C) to your desired location on the Angle Post (part A) to create two additional shelves, as shown in detail #7. Be sure to install the Z-beams in the upright position. Hit the beams near the joints to lock pieces together.

Note: The posts are adjustable in 3.8 cm / 1.5 in increments. You can adjust the shelves to your desired height.



Assembly Instructions


8. Now lay the Shelf Decks (part D) in between the Z-beams. See detail #8A.
Insert the Post Caps (part E) on the top of the Angle Posts (part A), as shown in detail #8B



OPTION #2 Side by Side


9. Repeat steps 1 through 2 to create a Bottom Frame Assembly.
Now insert two Short Z-beams and two Long Z-beams (part C and B) in the top keyholes of the Angle Posts.
Hit the beams near the joints with a rubber mallet to Lock pieces together, as shown in detail #9.
Add two additional Short Z-beams and two Long Z-beams (part C and B) to create a shelf at your desired level. Be sure all Z-beams are assembled in the upright position, as shown in detail #9.

Detail #9




10. Now start the Add-on Unit by joining the first Short Z-beam (part C) into the top two keyholes of the other two Angle Posts (part A), as shown in detail #10. Hit the beam near the joints with a rubber mallet to lock pieces together.
Repeat for the opposite end assembly.

Detail #10



Assembly Instructions


11. Complete the Add-on Unit by adding two Long Z-beams (part B) at the top keyholes of the Angle Posts (part A), as shown in detail #11. Install all Z-beams in the upright position. Hit the beams near the joint with a rubber mallet to lock joints into place.



Detail #11

12. Now lay the Shelf Decks (part D) in between the Z-beams. Make sure all Z-beams are in the upright position, as shown in detail #12.


Detail #12



13. To secure the frames together, align the four middle Angle Posts (part A) of the frames, as shown in detail #13. Start with the two back middle Angle Posts. Align the indents on the Post Clips (part G) and two keyholes of the back middle Angle Posts. Firmly clamp together a Post Clip and the two angle posts. Repeat the step to clamp the two front middle angle posts.


Note: To remove Post Clips use a screwdriver. Insert the Post Caps (part E) on the top of the Angle Posts (part A), as shown in detail #13.

Detail #13



14. Periodically inspect the unit to ensure all Z-beams are seated properly and firmly connected to the Angle Posts.

NOTE: The tipping restraint hardware included is for wooden stud wall construction. It must be attached to a wall stud. Depending upon your wall construction, different anchor hardware may be required. Please contact your local hardware store for assistance. Young children can be seriously injured by tipping furniture. You must install the tipping restraint hardware with the unit to prevent the unit from tipping, causing any accidents or damage. The tipping restraints are intended only as a deterrent, they are not a substitute for proper adult supervision. The tipping restraints are not earthquake restraints. If you wish to add the extra security of earthquake restraints, they must be purchased and installed separately.



Care and Maintenance

- Use a soft, clean cloth that will not scratch the surface when dusting.
- Use of furniture polishes is not necessary. Should you choose to use polishes, test first in an inconspicuous area.
- Using solvents of any kind on your furniture may damage your furniture's finish.
- Never use water to clean your furniture as it may cause damage to the finish.
- Stains or marks from crayons or ink markers will be difficult to remove.
- Do not use any harsh abrasives or chemicals to clean any metal surfaces as it may damage the protective coating.
- Metal will rust if the finish is scratched or if your furniture is exposed to excessive humidity, particularly in salt water locations.
- Most metal furniture has a protective coating to prevent rust, however rust may occur if the finish is marred or wears away over time.
- In the event that your furniture is stained or otherwise damaged during use, we recommend that you call a professional to repair your furniture.
- Check rivets and post clips periodically and tighten them if necessary.



WARNING

Serious or fatal crushing injuries can occur from furniture tip-over. To help prevent tip-over:

- Place heaviest items on the lowest rack.
- Do not place heavy objects on the top of this product.
- Never allow children to climb or hang on the shelves.

Use of tip-over restraints may only reduce but not eliminate the risk of tip-over. Contact your local hardware store for tip-over restraints that will best meet the area where unit will be used.

LIMITED LIFETIME WARRANTY

This Whalen product (exclusive of shelves) is warranted to the original purchaser. If there is a failure in this unit due to defects in materials or workmanship, Whalen Storage will repair or replace this item at our discretion without charge. Warranty is void if product has been assembled incorrectly, misused, abused by overloading, altered in any way or damaged due to accident. This warranty is not transferable and does not cover chipping, flaking, scratches, rust, dents, or other damages to the surfaces of this product. Responsibility of Whalen Storage is limited to repair or replacement of this product. Whalen Storage is not responsible for consequential incidental, or other damages or losses resulting from product failure. This warranty is in lieu of all other expressed warranties. Some adapt for Canada do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation may not apply to you. This warranty gives you specific legal rights and you may have other rights which vary from adapt for Canada.

AUSTRALIA: Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

In case of product failure, damage or defective parts refer to:
Whalen Furniture Manufacturing
1578 Air Wing Rd.
San Diego, Ca. 92154 USA
1-866-942-5362


KEEP THESE INSTRUCTIONS FOR FURTHER REFERENCE

Your assembly should now be complete.

Thank you for your purchase.



IF YOU ARE REQUIRED TO ORDER PARTS PLEASE USE THE LIST BELOW
991070 / WSZB184872-GW5BMS Heavy-Duty Storage Rack



- | | | |
|---|----------------------------|--------------------------------|
| 1 | *WSZB184872-GW5BMS-01-AP | Angle Post |
| 2 | *WSZB184872-GW5BMS-02-LZB | Long Z-beam |
| 3 | *WSZB184872-GW5BMS-03-SZB | Short Z-beam |
| 4 | *WSZB184872-GW5BMS-04-SD | Shelf Deck |
| 5 | *WSZB184872-GW5BMS-05-PC | Post Cap |
| 6 | *WSZB184872-GW5BMS-06-PI | Post Inserts |
| 7 | *WSZB184872-GW5BMS-07-PC | Post Clips |
| 8 | *WSZB184872-GW5BMS-08-CH | Complete Hardware |
| 9 | *WSZB184872-GW5BMS-09-TRHK | Tipping Restraint Hardware Kit |

Distributed by:
Costco Wholesale Corporation
P.O. Box 34535
Seattle, WA 98124-1535
USA
1-800-774-2678
www.costco.com

Costco Wholesale Canada Ltd.*
415 W. Hunt Club Road
Ottawa, Ontario
K2E 1C5, Canada
1-800-463-3783
www.costco.ca
* faisant affaire au Québec sous
le nom les Entrepôts Costco

Importado por:
Importadora Primex S.A. de C.V.
Blvd. Magnocentro No. 4
San Fernando La Herradura
Huixquilucan, Estado de México
C.P. 52765
RFC: IPR-930907-S70
(55)-5246-5500
www.costco.com.mx

Costco Wholesale Australia Pty Ltd
17-21 Parramatta Road
Lidcombe NSW 2141
Australia
www.costco.com.au

Costco Wholesale UK Ltd /
Costco Online UK Ltd
Hartspring Lane
Watford, Herts
WD25 8JS
United Kingdom
01923 213113
www.costco.co.uk

Costco Wholesale Spain S.L.U.
Poligono Empresarial Los Gavilanes
C/ Agustín de Betancourt, 17
28906 Getafe (Madrid) España
NIF: B86509460
900 111 155
www.costco.es

Costco Wholesale Iceland ehf.
Kauptún 3-7, 210 Gardabaer
Iceland
www.costco.is

Costco France
1 avenue de Bréhat
91140 Villebon-sur-Yvette
France
01 80 45 01 10
www.costco.fr

Costco Wholesale Japan Ltd.
3-1-4 Ikegami-Shincho
Kawasaki-ku, Kawasaki-shi,
Kanagawa 210-0832 Japan
0570-032600
www.costco.co.jp

Costco Wholesale Korea, Ltd.
40, Iljik-ro
Gwangmyeong-si
Gyeonggi-do, 14347, Korea
1899-9900
www.costco.co.kr

Costco President Taiwan, Inc.
No. 656 Chung-Hwa 5th Road
Kaohsiung, Taiwan
Company Tax ID: 96972798
449-9909 or 02-449-9909 (if cellphone)
www.costco.com.tw

Shanghai Minhang Costco Trading Co., Ltd
No. 235, ZhuJian Road
Minhang District, Shanghai
China 201106
+86-21-6257-7065